

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|---|------------------|
| 1 | 1344 | ((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 11:39 |
| 2 | 69 | (386/35).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 11:41 |
| 3 | 0 | ((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory)) and ((386/35).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 11:42 |
| 4 | 1042 | (386/?).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 11:42 |
| 5 | 0 | ((pre\$ldetermin\$3 or pre\$lddefin\$3) near5 directory)) and ((386/?).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/03 11:42 |
| - | 608 | (707/205).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 10:53 |
| - | 1434 | (707/200).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 10:54 |
| - | 465 | (pre-defin\$3 or predefin\$3) with directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 11:07 |
| - | 33 | ((pre-defin\$3 or predefin\$3) with directory) same (disk or disc) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 10:58 |
| - | 17 | ((pre-defin\$3 or predefin\$3) with directory) same (hierarchical near5 director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 11:19 |
| - | 8 | ((707/205).CCLS.) and ((pre-defin\$3 or predefin\$3) with directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 11:05 |
| - | 32 | ((pre-defin\$3 or predefin\$3) near5 (portion or area or section or block\$1)) with directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 13:04 |
| - | 858 | (file\$1) same (hierarchical near5 director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 11:20 |
| - | 54 | (file\$1) same (hierarchical near5 director\$3) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 12:24 |

| | | | | |
|---|-------|--|---|------------------|
| - | 77 | (hierarchical near5 director\$3) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:35 |
| - | 63 | (video adj data) near5 directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 12:54 |
| - | 83047 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:41 |
| - | 288 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area)) same director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 14:13 |
| - | 7 | ((707/205).CCLS.) and (((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (area)) same director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:40 |
| - | 71116 | (file adj format) enar5 director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:41 |
| - | 549 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:42 |
| - | 1 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area) with director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:43 |
| - | 16 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (continuous near5 area) with (file\$1 or director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:55 |
| - | 17 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3 or pre-allocated or preallocated) near10 (continuous near5 area) with (file\$1 or director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:51 |
| - | 236 | defined adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:54 |
| - | 5 | ((707/205).CCLS.) and (defined adj directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:51 |
| - | 13 | pre-defined adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:54 |
| - | 2213 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near10 (director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/12/01 13:55 |

| | | | | |
|---|------|---|---|------------------|
| - | 387 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:06 |
| - | 379 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 13:56 |
| - | 232 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) and (disk or disc) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 13:56 |
| - | 168 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) and (disk or disc) and record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:14 |
| - | 42 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory) with record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:26 |
| - | 1602 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:14 |
| - | 157 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 director\$3) with record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:14 |
| - | 42 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (directory)) with record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:14 |
| - | 41 | ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj area) with directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:39 |
| - | 0 | (pre-defined adj area\$1) near5 (disk or disc) near5 (file\$1 or director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:36 |
| - | 0 | (pre-defined adj area\$1) with (disk or disc) with (file\$1 or director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:37 |
| - | 4 | (pre-defined adj area\$1) with (file\$1 or director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:38 |
| - | 0 | (pre-defined adj area\$1) and ((707/205).CCLS.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:38 |
| - | 0 | (pre-defined adj directory adj area\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:38 |

| | | | | |
|---|------|--|---|------------------|
| - | 1 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory adj area\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:39 |
| - | 379 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 14:40 |
| - | 2 | ((707/205).CCLS.) and ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:05 |
| - | 1541 | (recording adj (file\$1 or director\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:05 |
| - | 100 | (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) same ((recording adj (file\$1 or director\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:06 |
| - | 100 | (recording adj (file\$1 or director\$3)) same (predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:07 |
| - | 599 | (recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) near5 (file\$1 or director\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:08 |
| - | 84 | (recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj (file\$1 or director\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:17 |
| - | 13 | (recording) with ((predefin\$3 or pre-defin\$3 or predetermin\$3 or pre-determin\$3) adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:23 |
| - | 5 | ensured adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:24 |
| - | 65 | predefined adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:27 |
| - | 0 | recording adj (predeternined or predefined) adj (director\$3 or file\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:28 |
| - | 4 | recording with ((predeternined or predefined) adj (director\$3 or file\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:29 |
| - | 183 | ((predeternined or predefined) adj (director\$3 or file\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:29 |

| | | | | |
|---|-----|---|---|------------------|
| - | 2 | ((predetermined or predefined) adj (director\$3 or file\$1)) same (root adj directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:30 |
| - | 0 | ((predetermined or predefined) adj (director\$3 or file\$1)) same (sub adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:31 |
| - | 3 | ((predetermined or predefined) adj (director\$3 or file\$1)) and (sub adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:31 |
| - | 1 | ((predetermined or predefined) adj directory) and (sub adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:32 |
| - | 27 | ((predetermined or predefined) adj directory) and (sub adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:34 |
| - | 0 | ((predetermining or predefining) adj directory) and (sub adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:34 |
| - | 2 | ((predetermining or predefining) adj directory) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:35 |
| - | 17 | ((predetermining or predefining) adj area) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 15:54 |
| - | 174 | pre-defin\$3 adj area\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:15 |
| - | 1 | (pre-defin\$3 adj area\$1) with directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:16 |
| - | 4 | (pre-defin\$3 near\$5 area\$1) with directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:27 |
| - | 0 | area adj ensur\$3 adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:31 |
| - | 66 | predefin\$3 adj directory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:48 |
| - | 576 | hierarchical adj director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:57 |

| | | | | |
|---|------|--|---|------------------|
| - | 4 | (hierarchical adj director\$3) and (pre\$1defin\$3 adj (area or director\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:57 |
| - | 1951 | (pre\$1defin\$3 adj (area or director\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:52 |
| - | 82 | (pre\$1defin\$3 adj (area or director\$3)) with record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:54 |
| - | 0 | ((707/205).CCLS.) and ((pre\$1defin\$3 adj (area or director\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:54 |
| - | 1 | ((707/200).CCLS.) and ((pre\$1defin\$3 adj (area or director\$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:54 |
| - | 77 | pre\$1defin\$3 adj director\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:55 |
| - | 576 | (hierarchical adj director\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:57 |
| - | 16 | (hierarchical adj director\$3) same (predefined or predetermined) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/01 16:57 |
| - | 462 | directory near5 ensur\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/02 09:55 |
| - | 15 | (directory near5 ensur\$3) near10 disk | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/02 09:11 |
| - | 11 | (directory near5 ensur\$3) with record\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/02 10:08 |
| - | 14 | ensur\$3 adj record\$3 adj area | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/02 10:17 |
| - | 13 | ensur\$3 adj continuous adj area | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/02 10:18 |